BIBLIOGRAFÍA

Abe, J. y Berk, B. C. (1999). "Fyn and JAK2 mediate Ras activation by reactive oxygen species". *J. Biol. Chem.* 274, 21003-21010.

Bai, J., Rodriguez, A. M., Meléndez, J. A. y Cederbaum, A. I. (1999). "Overexpression of catalase in cytosolic or mitochondrial compartment protects HepG2 cells against oxidative injury". *J. Biol. Chem.* 274, 26217-26224.

Beckman, J. S., Beckman, T. W., Chen, J., Marshall, P. A. y Freeman, B. A. (1990). "Apparent hydroxyl radical production by peroxynitrite: implications for endothelial injury from nitric oxide and superoxide". *Proc. Natl. Acad. Sci. USA* 87, 1620-1624.

Beckman, J. S., Ischiropoulos, H., Zhu, L., van der Woerd, M., Smith, C., Chen, J., Harrison, J., Martin, J. C. y Tsai, M. (1992). "Kinetics of superoxide dismutase-and iron-catalyzed nitration of phenolics by peroxynitrite". *Arch. Biochem. Biophys.* 298, 438-445.

Berridge, M. J., Bootman, M. D. y Roderick, H. L. (2003). "Calcium signalling: dynamics, homeostasis and remodelling". *Nat. Rev. Mol. Cell Biol.* 4, 517-529.

Blinks, J. R., Wier, W. G., Hess, P. y Prendergast, F. G. (1982). "Measurement of Ca^{2+} concentrations in living cells". *Prog. Biophys. Mol. Biol.* 40, 1-114.

Carvalho-Alves, P. C. y Scofano, H. M. (1987). "The hydrolytic cycle of sarcoplasmic reticulum Ca^{2+}-ATPase in the absence of calcium". *J. Biol. Chem.* 262, 6610-6614.

Champeil, P. y Guillain, F. (1986). "Rapid filtration study of the phosphorylation-dependent dissociation of calcium from transport sites of purified sarcoplasmic reticulum ATPase and ATP modulation of the catalytic cycle". *Biochemistry* 25, 7623-7633.

Chance, B., Sies, H. y Boveris, A. (1979). "Hydroperoxide metabolism in mammalian organs". *Physiol. Rev.* 59, 527-605.

Clement, M. V., Ponton, A. y Pervaiz, S. (1998). "Apoptosis induced by hydrogen peroxide is mediated by decreased superoxide anion concentration and reduction of intracellular milieu". *FEBS Lett.* 440, 13-18.

de Groot, H. y Littauer, A. (1989). "Hypoxia, reactive oxygen, and cell injury". *Free Radic. Biol. Med.* 6, 541-551.

de Meis, L. (1988). "Approaches to studying the mechanisms of ATP synthesis in sarcoplasmic reticulum". *Methods Enzymol.* 157, 190-206.

Duggan, P. F. y Martonosi, A. (1970). "Sarcoplasmic reticulum. IX. The permeability of sarcoplasmic reticulum membranes". *J. Gen. Physiol.* 56, 147-167.

Dupont, Y. (1980). "Occlusion of divalent cations in the phosphorylated calcium pump of sarcoplasmic reticulum". *Eur. J. Biochem.* 109, 231-238.

Eletr, S. e Inesi, G. (1972). "Phospholipid orientation in sarcoplasmic membranes: spin-label ESR and proton MNR studies". *Biochim. Biophys. Acta* 282, 174-179.

Fabiato, A. (1983). "Calcium-induced release of calcium from the cardiac sarcoplasmic reticulum". *Am. J. Physiol.* 245, C1-C14.

Fabiato, A. (1988). "Computer programs for calculating total from specified free or free from specified total ionic concentrations in aqueous solutions containing multiple metals and ligands". *Methods Enzymol*. 157, 378-417.

Fantone, J. C. y Ward, P. A. (1985). "Polymorphonuclear leukocyte-mediated cell and tissue injury: oxygen metabolites and their relations to human disease". *Hum. Pathol.* 16, 973-978.

Fernández-Belda, F., Fortea, M. I. y Soler, F. (2001). "Testing the versatility of the sarcoplasmic reticulum Ca^{2+}-ATPase reaction cycle when p-nitrophenyl phosphate is the substrate". *J. Biol. Chem.* 276, 7998-8004.

Fortea, M. I., Soler, F. y Fernández-Belda, F. (2000). "Insight into the uncoupling mechanism of sarcoplasmic reticulum ATPase using the phosphorylating substrate UTP". *J. Biol. Chem.* 275, 12521-12529.

Fortea, M. I., Soler, F. y Fernández-Belda, F. (2001). "Unravelling the interaction of thapsigargin with the conformational states of Ca^{2+}-ATPase from skeletal sarcoplasmic reticulum". *J. Biol. Chem.* 276, 37266-37272.

Franzini-Armstrong, C. y Nunzi, G. (1983). "Junctional feet and particles in the triads of a fast-twitch muscle fibre". *J. Muscle Res. Cell Motil.* 4, 233-252.

Froehlich, J. P. y Taylor, E. W. (1975). "Transient state kinetic studies of sarcoplasmic reticulum adenosine triphosphatase". *J. Biol. Chem.* 250, 2013-2021.

Grover, A. K. y Khan, I. (1992). "Calcium pump isoforms: diversity, selectivity and plasticity". *Cell Calcium* 13, 9-17.

Grover, A. K. y Samson, S. E. (1997). "Peroxide resistance of ER Ca^{2+} pump in endothelium: implications to coronary artery function". *Am. J. Physiol.* 273, C1250-C1258.

Grover, A. K., Samson, S. E. y Fomin, V. P. (1992). "Peroxide inactivates calcium pumps in pig coronary artery". *Am. J. Physiol.* 263, H537-H543.

Grover, A. K., Samson, S. E. y Misquitta, C. M. (1997). "Sarco(endo)plasmic reticulum Ca^{2+} pump isoform SERCA3 is more resistant than SERCA2b to peroxide". *Am. J. Physiol.* 273, C420-C425.

Halliwell, B. y Gutteridge, J. M. (1990). "Role of free radicals and catalytic metal ions in human disease: an overview". *Methods Enzymol.* 186, 1-85.

Halliwell, B. y Gutteridge, J. M. (1999). "Free Radicals in Biology and Medicine". 3rd edn. Clarendon Press, Oxford.

Hasselbach, W. (1964). "Relaxing factor and the relaxation of the muscle". *Prog. Biophys. Mol. Biol.* 14, 167-222.

Imagawa, T., Smith, J. S., Coronado, R. y Campbell, K. P. (1987). "Purified ryanodine receptor from skeletal muscle sarcoplasmic reticulum is the Ca^{2+}-permeable pore of the calcium release channel". *J. Biol. Chem.* 262, 16636-16643.

Inesi, G. y Kirtley, M. (1990). "Coupling of catalytic and channel function in the Ca^{2+} transport ATPase". *J. Membr. Biol.* 116, 1-8.

Inesi, G., Kurzmack, M. y Verjovski-Almeida, S. (1978). "ATPase phosphorylation and calcium ion translocation in the transient state of sarcoplasmic reticulum activity". *Ann. N. Y. Acad. Sci.* 307, 224-227.

Inesi, G., Lewis, D., Nikic, D., Hussain, A. y Kirtley, M. E. (1992). "Long-range intramolecular linked functions in the calcium transport ATPase". En *Adv. Enzymol. and Rel. Areas of Mol. Biol.*, 65, 185-215.

Inesi, G., Nakamoto, R., Hymel, L. y Fleischer, S. (1983). "Functional characterization of reconstituted sarcoplasmic reticulum vesicles". *J. Biol. Chem.* 258, 14804-14809.

Kanazawa, T., Suzuki, H., Daiho, T. y Yamasaki, K. (1995). "Fluorometric study on conformational changes in the catalytic cycle of sarcoplasmic reticulum Ca^{2+}-ATPase". *Biosci. Rep.* 15, 317-326.

Kanazawa, T., Yamada, A., Yamamoto, T. y Tonomura, Y. (1971). "Reaction mechanism of the Ca^{2+}-dependent ATPase of sarcoplasmic reticulum from skeletal muscle. V. Vectorial requirements for calcium and magnesium ions of three partial reactions of ATPase: formation and decomposition of a phosphorylated intermediate and ATP-formation from ADP and the intermediate". *J. Biochem.* (Tokyo) 70, 95-123.

Kannan, K. y Jain, S. K. (2000). "Oxidative stress and apoptosis". *Pathophysiology* 7, 153-163.

Kloner, R. A., Przyklenk, K. y Whittaker, P. (1989). "Deleterious effects of oxygen radicals in ischemia/reperfusion. Resolved and unresolved issues". *Circulation* 80, 1115-1127.

Kukreja, R. C., Kearns, A. A., Zweier, J. L., Kuppusamy, P. y Hess, M. L. (1991). "Singlet oxygen interaction with Ca^{2+}-ATPase of cardiac sarcoplasmic reticulum". *Circ. Res.* 69, 1003-1014.

Lin, T. y Morales, M. F. (1977). "Application of a one-step procedure for measuring inorganic phosphate in the presence of proteins: the actomyosin ATPase system". *Anal. Biochem.* 77, 10-17.

Lowry, O. H., Rosebrough, N. J., Farr, A. L. y Randall, R. J. (1951). "Protein measurement with the folin phenol reagent". *J. Biol. Chem.* 193, 265-275.

MacLennan, D. H. (1970). "Purification and properties of an adenosine triphosphatase from sarcoplasmic reticulum". *J. Biol. Chem.* 245, 4508-4518.

Makinose, M. (1969). "The phosphorylation of the membranal protein of the sarcoplasmic vesicles during active calcium transport". *Eur. J. Biochem.* 10, 74-82.

Martonosi, A. y Feretos, R. (1964). "The uptake of Ca^{2+} by sarcoplasmic reticulum fragments". *J. Biol. Chem.* 239, 648-658.

Martonosi, A. y Halpin, R. A. (1971). "Sarcoplasmic reticulum. X. The protein composition of sarcoplasmic reticulum membranes". *Arch. Biochem. Biophys.* 144, 66-77.

Matsumoto, A., Okado, A., Fujii, T., Fujii, J., Egashira, M., Niikawa, N. y Taniguchi, N. (1999). "Cloning of the peroxiredoxin gene family in rats and characterization of the fourth member". *FEBS Lett.* 443, 246-250.

McCord, J. M. (1985). "Oxygen-derived free radicals in postischemic tissue injury". *N. Engl. J. Med.* 312, 159-163.

McFarland, B. H. e Inesi, G. (1971). "Solubilization of sarcoplasmic reticulum with Triton X-100". *Arch. Biochem. Biophys.* 145, 456-464.

Meissner, G., Conner, G. E. y Fleischer, S. (1973). "Isolation of sarcoplasmic reticulum by zonal centrifugation and purification of Ca^{2+}-pump and Ca^{2+}-binding proteins". *Biochim. Biophys. Acta* 298, 246-269.

Meissner, G. y Fleischer, S. (1974). "Dissociation and reconstitution of functional sarcoplasmic reticulum vesicles". *J. Biol. Chem.* 249, 302-309.

Murphy, A. J. (1976). "Sulfhydryl group modification of sarcoplasmic reticulum membranes". *Biochemistry* 15, 4492-4496.

Opie, L. H. (1989). **"**Reperfusion injury and its pharmacologic modification". *Circulation* 80, 1049-1062.

Pedersen, P. L. y Carafoli, E. (1987). "Ion motive ATPases. I. Ubiquity, properties, and significance to cell function". *Trends Biochem. Sci.* 12, 146-150.

Racker, E. y Eytan, E. (1973). "Reconstitution of an efficient calcium pump without detergents". *Biochem. Biophys. Res. Commun.* 55, 174-178.

Radi, R., Beckman, J. S., Bush, K. M. y Freeman, B. A. (1991a). "Peroxynitrite-induced membrane lipid peroxidation: the cytotoxic potential of superoxide and nitric oxide". *Arch. Biochem. Biophys.* 288, 481-487.

Radi, R., Beckman, J. S., Bush, K. M. y Freeman, B. A. (1991b). "Peroxynitrite oxidation of sulfhydryls. The cytotoxic potential of superoxide and nitric oxide". *J. Biol. Chem.* 266, 4244-4250.

Sagara, Y., Wade, J. B. e Inesi, G. (1992). "A conformational mechanism for formation of a dead-end complex by the sarcoplasmic reticulum ATPase with thapsigargin". *J. Biol. Chem.* 267, 1286-1292.

Saito, A., Seiler, S., Chu, A. y Fleischer, S. (1984). "Preparation and morphology of sarcoplasmic reticulum terminal cisternae from rabbit skeletal muscle". *J. Cell. Biol.* 99, 875-885.

Scherer, N. M. y Deamer, D. W. (1986). "Oxidative stress impairs the function of sarcoplasmic reticulum by oxidation of sulfhydryl groups in the Ca^{2+}-ATPase". *Arch. Biochem. Biophys.* 246, 589-601.

Schreck, R., Rieber, P. y Baeuerle, P. A. (1991). "Reactive oxygen intermediates as apparently widely used messengers in the activation of the NF-kappa β transcription factor and HIV-1". *EMBO J.* 10, 2247-2258.

Schwartzenbach, G., Senn, H. y Anderegg, G. (1957). "Komplexone. XXIX. Ein grosser Chelateffekt besonderer". *Helv. Chim. Acta* 40, 1886-1900.

Shi, X., Lenhart, A. y Mao, Y. (1994). "ESR spin trapping investigation on peroxynitrite decomposition: no evidence for hydroxyl radical production". *Biochem. Biophys. Res. Commun.* 203, 1515-1521.

Shimizu, S., Nomoto, M., Yamamoto, T. y Momose, K. (1994). "Reduction by NG-nitro-L-arginine of H_2O_2-induced endothelial cell injury". *Br. J. Pharmacol.* 113, 564-568.

Soler, F., Fortea, M. I., Lax, A. y Fernández-Belda, F. (2002). "Dissecting the hydrolytic activities of sarcoplasmic reticulum ATPase in the presence of acetyl phosphate". *J. Biol. Chem.* 277, 38127-38132.

Suzuki, Y. J. y Ford, G. D. (1991). "Inhibition of Ca^{2+}-ATPase of vascular smooth muscle sarcoplasmic reticulum by reactive oxygen intermediates". *Am. J. Physiol.* 261, H568-H574.

Takisawa, H. y Makinose, M. (1981). "Occluded bound calcium on the phosphorylated sarcoplasmic transport ATPase". *Nature* 290, 271-273.

Thompson, J. A. y Hess, M. L. (1986). "The oxygen free radical system: a fundamental mechanism in the production of myocardial necrosis". *Prog. Cardiovasc. Dis.* 28, 449-462.

Toyoshima, C., Nakasako, M., Nomura, H. y Ogawa, H. (2000). "Crystal structure of the calcium pump of sarcoplasmic reticulum at 2.6 Å resolution". *Nature* 405, 647-655.

Toyoshima C. y Nomura, H. (2002). **"**Structural changes in the calcium pump accompanying the dissociation of calcium". *Nature* 418, 605-611.

Ueda, J., Saito, N., Shimazu, Y. y Ozawa, T. (1996). "A comparison of scavenging abilities of antioxidants against hydroxyl radicals". *Arch. Biochem. Biophys.* 333, 377-384.

van der Vliet, A., O'Neill, C. A., Halliwell, B., Cross, C. E. y Kaur, H. (1994). "Aromatic hydroxylation and nitration of phenylalanine and tyrosine by peroxynitrite. Evidence for hydroxyl radical production from peroxynitrite". *FEBS Lett.* 339, 89-92.

Vepa, S., Scribner, W. M., Parinandi, N. L., English, D., García, J. G. y Natarajan, V. (1999). "Hydrogen peroxide stimulates tyrosine phosphorylation of focal adhesion kinase in vascular endothelial cells". *Am. J. Physiol.* 277, L150-L158.

Viner, R. I., Hühmer, A. F., Bigelow, D. J. y Schöneich, C. (1996). "The oxidative inactivation of sarcoplasmic reticulum Ca^{2+}-ATPase by peroxynitrite". *Free Radic. Res.* 24, 243-259.

Xu, K. Y., Zweier, J. L. y Becker, L. C. (1997). "Hydroxyl radical inhibits sarcoplasmic reticulum Ca^{2+}-ATPase function by direct attack on the ATP binding site". *Circ. Res.* 80, 76-81.

Yamamoto, T. y Tonomura, Y. (1968). "Reaction mechanism of the Ca^{2+}-dependent ATPase of sarcoplasmic reticulum from skeletal muscle. II. Intermediate formation of phosphoryl protein". *J. Biochem.* (Tokyo) 64, 137-145.

Yu, X., Carroll, S., Rigaud, J. L. e Inesi, G. (1993). "H^+ countertransport and electrogenicity of the sarcoplasmic reticulum Ca^{2+} pump in reconstituted proteoliposomes". *Biophys. J*. 64, 1232-1242.