Abou-Madi.1.987. Anesthésie féline: Le Saffan®, un anesthésique stéroïde. Med.Vet. Quebec. Vol 17 nº 4.

Allen, J.M. 1.994. Comparing a TKX combination with xylacine-ketamine. Veterinary medicine, march.

Baggot, J.D. y Blake, J.W. 1.976. Disposition kinetics of ketamine in the domestic cat. Arch. Inte. Pharmacodyn. 220, 115-124.

Becker, M; Beliglinger, R.1.982. Ketamine and myocardial contractility in the cat. J.A.V.A. 10, 232-236.

Bell, J.A.; Sharpe, L.G. y Berry, J.N. 1.980. Depressant and excitant effects of intraspinal microinyections of morphine and methionine-enkephalin in the cat. Brain Res.186 (2), 455-465.

Bellah, J. R.; Robertson, S.A.; Buergelt, C.D.; McGavin, A.D. 1.989. Suspected malignamt hyperthermia after halothane anesthesia in a cat. Vet. Surg. 18, 483-488.

Benodiére. M.S.; Rafal, S.; Deligné, P. 1.973. Notre experience du CT 1341 (Alphathesine) pour l´anesthesie generale en chirurgie. Ann. Anesth. Franc. 14: 549-556.

Brearley, J.C. 1.992: Morphine and acepromazine premedication in cats: Abstract. J. Vet. Anaesth, 20-35.

Bidwai, A. R.; Stanley, J.M.; Graves,C.L.; Kawamura, R. y Sentker, C.R.1.975. The effects of ketamine on cardiovascular dysenamics during halothane and enflurane anesthesia. Anesth. Anal. 54. 588-592.

Bocard, S. 1.989: Etude comparative de trois protocoles anesthesiques chez le chat: kétamine + acepromazine; kétamine + diacépam; tilétamine + zolazepam (Zolétil N.D). Le point Vétérinaire, vol. 21, nº 123, aout-septembre.

Booth, N. H. 1.982 Psychotropic agents. In: Veterinary Pharmacology and Therapeutics. Eds: N.H Booth y L.H. Mc Donald, pp 321-345. The Iowa Press, Ames.

Brock, N. 1.996: Feline anestesia. Canadian Veterinary Journal, vol 37, december, 751-752.

Cantalapiedra, A.G.; Laredo, F.G.; Cruz, I.; Ynaraja, E. 1.997. Anestesia de pequeños animales. Universidad de Murcia. Murcia.

Chambers, J.P.; Dobson, J.M. 1.989.A midazolam and ketamine combination as a sedative in cats. Journal of the Association of Veterinary Anaesthetists of Great Britain and Ireland. 16, 53-54.

Child,K.J.; Currie, J.P.; Davis, B.; Dodds, M.G.; Pearce, D.R. y Twissell, D.J. 1.971 The pharmacological properties in animals of CT 1341- a new steroid anaesthetic agent. Brit. J.Anaesth. 43, 2-13.

Child,K.J.; Davis,B.; Dodds, M,G. yTwissell, D.J. 1.972. Anaesthetic, cardiovascular and respiratory effects of a new steroidal agent CT 1341: a comparison with other intravenous anaesthetic drugs in the unrestrained cat. Brit. J. Pharmacol. 46, 189-200.

Clanachan, A.S.; Mc. Grath, J.C. y Mackenzie, J.E.1.976. Cardiovascular effects of ketamine in the pithed rat, rabbit and cat. Brit. J. Anaesth. 48, 935-939.

Clark, K.W. y Hall, L.W. 1.990. A survey of anesthesia in small animal practice.: AVA/ BSAVA Report. J. Ass. Anaesth. 17,4-10.

Clark,K.W. 1.992: Premedicación y sedación. En Manual de anestesia de los pequeños animales.De Hilbery (ed) pp 33-44. Acribia. Zaragoza.

Colby, E. D.; McCarthy, L.E y Borison, H.L. 1.981. Emetic action of xylacine on thechemoreceptor trigger zone for vomiting in cats. J. Vet. Pharmacol. Ther. 4 (2), 93-96.

Colby, E.D.; Sanfort, T. D. 1.982. Feline anesthesia with mixed solution of ketamine/ xylacine and ketamine and ketamine- acepromazine. Feline practice, 12 (2): 14-24.

Cullen, L.K.; Jones, R.S. 1.977. Clinical observations on xylacine/ketamine anesthesia in the cat. Veterinary Record. 101, 115-116.

Dobromylskyj, P. 1.996. Cardiovascular changes associated with anaesthesia induced by medetomidine combined with ketamine in cats. Journal of Small Animal Practice. 37 (4) 169-172.

Dodman, N.H. 1.980. Complications of Saffan anaesthesia in cats. Vet. Rec. 107, 481-483.

DuCailar, J. 1.973. Les effets respiratoires du CT 1341. Ann. Anesth. Franc. 14: 535-537.

Duke,T.; Hale, G.J.; Jones, R.S. 1.988. Clinical Observations on the Simultaneous Administration of Xylacine and ketamine for Anesthesia in the cat. Companion animal practice anesthesia, august.

Dyson,D.; Allen, D; Ingwersen, W; Pascoe, P; O´Grady, M.1.987. Effects of Saffan® on cardiopulmonary function in healthy cat. Can. J.Vet. Res.; 51: 236-239.

Dyson, D.; Allen, D. 1.991. Inyectable anesthetic agents for cats. Can Vet J. Volume 32,(5) 314-316.

Evans, J.M.; Aspinal, K.W.; y Hendy, P.G. 1.972. Clinical evaluation in cats of a new anaesthetic CT 1341. J. Small. Anim. Prac. 13, 479-486.

Flecknell, P.A. 1.994: Inyectable Anaesthetics. En:. Anesthesia of the cat. De Hall y Taylor (eds) pp 129-156.Hall, L.W. y Taylor P.M.(Ed.).Baillière Tindall. London.

Gaveau, T. 1.975. le CT 1341 ou Alphathesine. Cahiers d´Anesthesiologie. 23: 143-155.

Gordh, T. 1.972 The effect of althesin on the heart *in situ* in the cat. Postgrad. Med. J. 6, 31-33.

Grandy, J.L.; Dunlop, C.I.; Hodgson D.S; Curtis C.R; Chapman P.L. 1.992 Evaluation of the Doppler ultrasonic method of measuring systolic arterial blood pressure in cats: Am J Vet Res, Vol 53, Nº 7, July.

Grosenbaugh, D.A., Muir W.W. 1.998: Using end-tidal carbon dioxide to monitor patients. Veterinary Medicine, January 67-74.

Grosenbaugh, D.A., Muir W.W. 1.998: Pulsioximetry: A practical, efficient monitoring method. Veterinary Medicine, January 60-66.

Grosenbaugh, D.A., Muir W.W. 1.998: Blood pressure monitoring. Veterinary Medicine, January,48-59.

Hall, L.W. 1.972. Althesin in the larger animal. Postgrad. Med. J. 6, 55-58.

Hall, L.W y Clarke, K.W. 1.991. Veterinary Anaesthesia. 9 th. Ed. Bailliere Tindal. Inglaterra.

Heavner, J.E.; Bloedow, D.C. 1.979. Ketamine pharmacokineticsss in domestic cats. Vet. Anaesthetics 6 (2) 16-19.

Hanna, R.M.; Borchard, R.E. y Schmidt, S.L. 1.988. Effect of diuretics on ketamine and sulfanilate elimination in cats. J. Vet. Pharmacol.Ther.11, 121-129.

Harpster, N.K. 1.986. The cardiovascular system. In: Diseases of the cat. (ed. J. Holzworth), pp. 820-933. W.B. saunders, Philadelphia.

Haskins, S.C.; Peiffer, R.L.; y Stowe, C. M. 1.975. A clinical comparison of CT1341, ketamine and xylacine in cats. Am. J. Vet. Res.36, 1537-1543.

Haskins, S.C. 1.981. Hypotermia and its prevention during general anesthesia in cats. Am.J. Vet. Res. 42, 856-861.

Hatch, R. G.; Clark, J.D.;Jernigan, A.D.; Tracy, C.H. 1.988. Searching for a safe, effective antagonist to Telazol overdose. Veterinary Medicine. 112-117.

Ingwersen, W.; Allen, D.G.; Dyson, D.H.; Black, W.D.; Goldberg, M.T.; Valliant, A.E. 1.989. Efectos cardiopulmonares de una combinación de ketamina/ acepromacina en gatos hipovolémicos. Digest/Animales de compañía nº1. 23.

Iyengar, S.; Kim, H.S.; y Wood, P.L. 1.986. Effects of Kappa opiate antagonists of neurochemical and neuroendocrine indices evidence for kappa receptor subtypes. J. Pharmacol. Exp. Therap. 238, 429-436.

Jeff, C.H.; Thurman, J.C.; Benson, G.J y Tranquilli, W.J. 1.993. vet. Med. 88, 1061.

Loew, G.; Keys, C. Luke, B.; polgar, W. Y Tall, L. 1.986. Structure-activity relationships of morphiceptin analogs: receptor bindding and molecular determinants of mu-affinity and selectivity. Md. Pharmacol. 29. 546-553.

Lord, J.A.H.; Waterfield, A.A.; Hughes, J. Y kesterlitz, H.W.1.977. Endogenous opiod peptides: multiple agonist and receptors. Nature (Lond) 267, 495-499.

Lumb, M.V.; Jones E.W. 1.982: Veterinary anesthesia, 2nd ed: Philadelphia, W.B. Saunders, 243.

Manubens, J. 1.987: Anestesia en gatos. Avepa. Vol. 7, nº2. 62-78.

McKiernam, B.C.; Johnson, L.R. 1.992. Clinical pulmonary function testing in dogs and cats. Vet.Clinics N. Am.: Small anim. Prac. 22, 1087-1099.

Middleton, D.J.; Ilkiw, J.E. y Watson, A. D. J. 1.982. Phisiological effects of thiopentone, ketamine and CT 1341 in cats.Res. Vet.Sci. 32, 157-162.

Moens,H.; Verstraten, W. 1.982: Capnographic monitoring in small animal anesthesia. JAAHA 18: 659-678.

Paddleford, R.R. 1.988. Manual of small animal anesthesia. New York. Churchill. Livingstone.199.

Petitdidier, M.; Jadoul, D.; DuCailar, J.1.973 Utilisation du Ct 1341 au cours de l´arteriographie cerebrale. Ann. Anesth. Franc.14. 557-562.

Quillent, J.C. 1.973. Note sur l´Afathesine en association. Ann. Anesth. Franc.14. 599-603.

Rex, M.A.E. 1.994. Anatomy. En: Anaestesia of the cat. De Hall y Taylor (eds) pp 1-11. Hall, L.W y Taylor, P.M. (Ed). Bailliére Tindall. London.

Rifat, K.; Stainer, M.; Gemperle, M.; Szappanyos, G. 1.973. L´Althesin itilise comme agent anesthesique d´induction (Rapport preliminaire). Ann. Anesth. Franc. 14: 529-533.

Sanford, T.D.; Colby, E.D. 1.982. Feline anesthesia induced by ketamine/acepromazine and ketamine/xylacine. Feline Pract. 12, 16-24

Sapthavichaikul, S.; Wisborg, K.; Skovsted, P. 1.975. The effects of althesin on arteial pressure, pulse rate preganglionic sympathetic activity and barostatic reflexes in cats. Can. Anaesth. Soc. J. 22, 587-600.

Sarma, B; Amresh Kumar; Harnam Singh.1.996. Clinical and anesthetic effects of detomidine and ketamine in cats.Indian Veterinary Journal. 73 (6) 665-668.

Savege,T.M.; Blogg, C.E:; Foley, E.I.; Ross, L; Lang, M.; Simpson, B.R. 1.973. The cardiorespiratory effects of Althesin and Ketamine. A comparison. Anaesthesia. 28: 391-399.

Sawyer, D. 1.982. The practice of Small Animal Anesthesia, 1st ed. Philadelphia, W.B. Saunders, 243.

Short, C.E. 1.987. Dissociative anesthesia. In: Principles and Practice of Veterinary Anesthesia p. 163, Williams and Wilkins, Baltimore

Steffy, E.P.1.983. General anesthetic and the cardiovascular system. The J.D. Stewart Memorial Refresher Course on Anesthesia and Intensive Care. Proceedings n.62, Sydney 7-11 February. 407-418.

Stegall,H. F.; Kardon, M.B.; Kemmerer, W.T. 1.968 Indirect measurement of arterial blood pressure by Doppler ultrasonic sphygmomanometry. J.Appl. Physiol. 25, 793-798.

Stogdale, L. 1.978. Laryngeal oedema due to saffan in a cat. Veterinary Record. 102, 283-284.

Short, C. E. 1.987. Principles and Practice of Veterinary Anesthesia. Williams and Wilkins. Baltimore.

Takesita, H.; Okuda, Y y sari, A. 1.972. The effects of ketamine on cerebral circulation and metabolism in man. Anesthesiology 36, 69-75.

Taylor, P. M. 1.992. Evaluación preoperatoria, monitorización y cuidados postoperatorios. En: Hilbery ADR. Manual de anestesia de pequeños animales.Eds: Hilbery ADR. BSAVA.

Timmermans, P.B.; Schoop, A.M.;Kwa, H.Y; Van Zwieten, P.A. 1.981. Characterisation of alpha adrenceptors participating in the central hypotensive and sedative effects of clonidine using yohimbine, rauwolscine and corynanthine. Eur. J. Pharmacol. 70 (1), 7-15.

Tranquilli, W.J.; Thurmon,J.C.; Speiser, J.R., Benson, G. J y Olson, W.A. 1.988. Butorpanol as a preanesthetic in cats: its effects on two common intramuscular regimens. Vet. Med. 83, 848-854.

Tranquilli, W.J. y Rafe, M.R.1.989. Understandding pain and analgesic therapy in pets. Veterinary Medicine: 680-686, july.

Tremper, K.K; Barker, S.J. 1.990. Monitoringof oxygen. In: Clinical monitoring (ed. C.L.Lake9, pp 283-313. W.B. Saunders, Philadelphia.

Trim, C.M. 1.994. Monitoring the Anaesthetized Cat. De Hall, L.W. y Taylor P.M. (eds) PP 129-156. Bailliére Tindall. London.

Tsyrlin, V.A.; Yaksh, M. F. 1.980. Effects of alpha-adrenoreceptor-stimulating drugs on baroreceptor reflexes in conscious cats. Eur. J. Pharmacol. 67. (1), 75-83.

Verstegen, J.; Fargetton, X.; Donnay, I.; Ectors, F 1.989.Comparative study of different anesthetic combinations in cats. Characterization of a new combination: medetomine with ketamine. Annales de médecine vétérinaire. 133 (1) 50-54.

Verstegen, J.; Fargetton, X.; Donnay, I.; Ectors, F. 1.990. Compararison of the clinical utility of medetomidine/ketamine combinations for the ovariectomy of cats. Veterinary Record, 127 (17), 424-426.

Verstegen, J.; Fargetton, X.; Donnay, I.; Ectors, F.1.991. An evaluation of medetomidine/ Ketamine and other drug combinations for anaesthesia in cats. Vet. Record 128, 32-35.

Verstegen, J. 1.996. Evaluation of the anaesthetic effects of Saffan® and propofol used alone or in combination with medetomidine in cats. J. Vet. Anaesth. Vol. 23 (2).

Waterman, A.E. 1.983.Influence of premedication with Xylacine on the distribution and metabolism of intra-musculary administered ketamine in cats. Res. Vet. Sci. 35 (3), 285-290.

Waterman, L. ; Lucke, J.N. 1.992: Anesthesia intravenosa. En Manual de anestesia de los pequeños animales. De Hilbery (ed). pp 45-55. Acribia. Zaragoza

Watts, s. J.;Slocombe, R.F.; Harrison, W.D y stewart, G.A. 1.973. Assessment of analgesia and other effects of morphine and thiambutene in the mouse and cat. Australian Vet. J. 49, 525-529.

Waxman, K.; Shoemaker, W. C. Y Lippmann, M. 1.980. Cardiovascular effects of anesthetic induction with ketamine. Anesthes. Analg. 59, 355-358.

White,P.F.; Way, W.L.;y Trevor, A.J. 1.982. Ketamine its pharmacology and therapeutics uses. Anesthesiology 56, 119-136.

Wright,M.1.982. Pharmacologic effects of ketamine and its use in veterinary medicine. Journal of American Medical Association, 180 (12), 1462-1471.

Yaksh, T. L.; hary, G.J. y Onoftio, B.M.1.986. High dose of spinal morphine produce a nonopiate receptor- mediated hiperesthesia: clinical and theoretic implications. Anesthesiology 64 (5), 590-597.

Ynaraja Ramirez, E. 1.998. Monitorización en animales de compañía. Consulta de difusión Veterinaria, 6 (50): 1740-1748.

Young L.E.; Jones, R.S. 1.990. Medetomidine/ ketamine anaesthesia and its antagonism by atipamezole. J. Small. Anim. Pract. 31, 221-224.