

- Adlerberth I, Carlsson B, de Man P, Jalil F, Khan SR, Larsson P, Mellander L, Svanborg C, Wold AE, Hanson LA.** 1991. Intestinal colonization with *Enterobacteriaceae* in Pakistani and Swedish hospital-delivered infants. *Acta Paediatr Scand.* 80:602-10.
- Adlerberth I, Hanson LA, Svanborg C, Svennerholm AM, Nordgren S, Wold AE.** 1995. Adhesins of *Escherichia coli* associated with extraintestinal pathogenicity confer binding to colonic epithelial cells. *Microb Pathog.* 18:373-385
- Adlerberth I, Jalil F, Carlsson B, Mellander L, Hanson A, Larsson P, Khalil K and Wold AE.** 1998. High turnover rate of *Escherichia coli* strains in the intestinal flora of infants in Pakistan. *Epidemiol Infect.* 121:587-598.
- Adlerberth I, Hanson LA, Wold AE.** 1999. The ontogeny of the intestinal flora. In: Sanderson IR, Walker WA (eds). *Development of the Gastrointestinal tract.* BC Decker Inc, Hamilton, Ontario, pp 279-292.
- Adlerberth I, Wold AE.** 2009. Establishment of the gut microbiota in Western infants. *Acta Paediatr.* 98:229-38.
- Aggett P, Agostini C, Goulet O.** 2001. The nutritional and safety assessment of breast milk substitutes and other dietary products for infants: a commentary by the ESPGHAN Committee on Nutrition. *J Pediatr Gastr Nutr.* 32: 256-8.
- Alles MS, Schollens P, Bindels JG.** 2004. Current trends in the composition of infant milk formulas. *Curr Pediatr.* 14:51-63.
- Almuneef MA, Baltimore RS, Farrei PA, Reagan-Cirincione, Dembry LM.** 2001. Molecular typing demonstrating transmission of gram-negative rods in a neonatal intensive care unit in the absence of a recognized epidemic. *Clin Infect Dis.* 32:220-7.
- Amyes SGB, Tait S, Thomson CJ, Payne DJ, Nandivada LS, Jesudason MV, Mukundan UD, Young HK.** 1992. The incidence of antibiotic resistance in aerobic faecal flora in South India. *J Antimicrob Chemother.* 29:415-425.
- Balmer SE, Wharton BA.** 1989. Diet and faecal flora in the newborn: breastmilk and infant formula. *Arch Dis Child.* 64:1672-77.
- Baltzer A, Svanborg C, Jaggi R.** 2004. Apoptotic cell death in the lactating mammary gland is enhanced by a folding variant of alpha-lactalbumin. *Cell Mol Life Sci.* 61:1221-8.
- Ben X, Zhou X, Zhao W, Yu W, Pan W, Zhang W, Wu S, Christian M, Schaafsma A.**

## X. Bibliografía

---

- 2004.** Supplementation of milk formula with galacto-oligosaccharides improves intestinal micro-flora and fermentation in term infants. Chinese Medical Journal. 117: 927-931
- Bennet R, Eriksson M, Nord CE, Zetterström R. 1986.** Fecal bacterial microflora of newborn infants during intensive care management and treatment with five antibiotic regimens. Pediatr Infect Dis. 1986. 5:533-9.
- Benno Y, Endo K, Shiragami N, Sayama K, y Mitsuoka T. 1987.** Effects of raffinose intake on the human fecal microflora. Bifidobacteria Microflora. 6: 59-63.
- Bernet MF, Brassart D, Neeser JR, Servin AL. 1994.** *Lactobacillus acidophilus* LA 1 binds to cultured human intestinal cell lines and inhibits cell attachment and cell invasion by enterovirulent bacteria. Gut. 35:483-489.
- Berthou J, Migliore-Samou D, Lifchitz A, Delettre J, Floc'h F, Jolles P. 1987.** Immunostimulating properties and three-dimensional structure of two tripeptides from human and cow caseins. FEBS Lett. 218: 55-58.
- Bettelheim KA, Lennox-King SM. 1976.** The acquisition of *Escherichia coli* by newborn babies. Infection. 4:174-9.
- Bettelheim KA. 1997.** *Escherichia coli* in the normal flora of humans and animals. En: Sussman M, editor. *Escherichia coli: mechanisms of virulence*. 1<sup>st</sup> ed. Cambridge, UK: Cambridge University Press; 85-109.
- Bezirtzoglou E. 1997.** The intestinal microflora during the first weeks of life. Anaerobe. 3:173-177.
- Bezirtzoglou E, Maipa V, Chotoura N, Apazidou E, Tsotsias A, Voidarou C, Kostakis D, Alexopoulos A. 2006.** Ocurrence of *Bifidobacterium* in the intestine of newborns by fluorescence in situ hybridization. Comp Immunol Microbiol Infect Dis. 29:345-52.
- Bingen E, Picard B, Brahimi N, Mathy S, Desjardins P, Elion J, Mathy S, Picard B. 1998.** Phylogenetic analysis of *Escherichia coli* strains causing neonatal meningitis suggest horizontal transfer from a predominant pool of highly virulent B2 group strains. J Infect Dis. 177:642-50.
- Birch E, Carlson S, Hoffman D, Fitzgerald – Gustafson M, Fu E, Drovre J, Castañeda YS, Minns L, Wheaton DK, Mundy D, Marunycz J, Diersen-Schade DA. 2010.** The DIAMOND (DHA intake and measurement of neural development) Study: a double – masked, randomized controlled clinical trial of the maduration of infant visual acuity as a function of the dietary level of

- docosahexaenoic acid. Am J Clin Nutr. 91: 848-53.
- Blondeau JM. 1999.** A review of the comparative in vitro activities of 12 antimicrobial agents, with a focus on five new “respiratory quinolones”. J Antimicrob Chemother. 43(Suppl B):1-11.
- Bode L, 2009.** Human milk oligosaccharides: prebiotics and beyond. Nutr. Rev. 67; suppl 2: S183-91.
- Boedeker E, Latimer J. 1991.** Flora of the gut and protective function. En: Pediatric Gastrointestinal Disease. Walker A, Durie P (eds). BC Decker Inc Philadelphia. I: 281-99.
- Boehm G, Jelinek J, Stahl B, Van Laere K, Knol J, Fanaro S, Moro G, Vigi V. 2004.** Prebiotics in infants formulas. J Clin Gastroenterol. 38:S76-S79.
- Bohem G, Lidestri M, Casetta P, Jelinek J, Negretti F, Stahl B, Marini A. 2002.** Supplementation of a bovine milk formula with an oligosaccharide mixture increases counts of faecal Bifidobacteria in preterm infants. Arch. Dis. Child. Fetal Neonat. Ed 86, F178-F181.
- Boehm G, Lidestri M, Casetta P, Jelinek J, Knol J, Negretti F, Stahl B, Marini A. 2003.** Effect of increasing number of intestinal Bifidobacteria on the presence of clinically relevant pathogens. J Pediatr Gastroenterol Nutr. Vol. 36. 4, P179.
- Boehm G, Stahl B. 2003.** Oligosaccharides. In: Mattila-Sandholm T, ed. Functional Dairy Products. Cambridge: Woodhead Publishing. 203-243.
- Bonacorsi SPP, Clermont O, Tinsley C, Le Gall I, Beaudoin JC, Elion J, Nassif X, Bingen E. 2000.** Identification of regions of the *Escherichia coli* chromosome specific for neonatal meningitis-associated strains. Infect Immun. 68:2096-2101.
- Borderon E, Thieffry JC, Jamet O, Poisson D, Boisseay C, Farid IA. 1990.** Observations on the intestinal colonization by *Pseudomonas aeruginosa* in newborn infants. Biol Neonate. 57:88-97.
- Borriello SP. 1986.** Microbial flora of the gastrointestinal tract. In: MJ Hill, Editor, Microbial metabolism in the digestive tract. 2-16.
- Boy EF, Hartl DL. 1998.** Chromosomal regions specific to pathogenic isolates of *Escherichia coli* have a phylogenetically clustered distribution. J Bacteriol. 180:1159-1165.
- Brand-Miller J, McVeagh P. 1999.** Human milk oligosaccharides: 130 reasons to breast-feed. Br J Nutr. 82: 333-335.

- Brook I.** 1999. Bacterial interference. Crit Rev Microbiol. 25:155-172.
- Brück W, Kelleher S, Gibson G, Nielsen K, Chatterton D, Lonnerdal B.** 2003. rRNA probes used to quantify the effects of glycomacropeptide and alpha-lactalbumin supplementation on the predominant groups of intestinal bacteria of infant rhesus monkeys challenged with enteropathogenic *Escherichia coli*. J Pediatr Gastroenterol Nutr. 37:273-80.
- Brück WM, Redgrave M, Tuohy KM, Lönnnerdal B, Graverholt G, Hernell O, Gibson GR..** 2006. Effects of bovine alpha-lactalbumin and casein glycomacropeptide-enriched infant formulae on faecal microbiota in healthy term infants. J Pediatr Gastroenterol Nutr. 43: 673-9.
- Brun-Bruisson C, Legrand P, Philippot A, Montravers F, Asquer M, Dural J.** 1987. Transferable enzymatic resistance to third-generation cephalosporins during nosocomial outbreak of multiresistant *Klebsiella pneumoniae*. Lancet. 302-6.
- Bullen CL, Willis AT.** 1971. Resistance of the breastfed infant to gastroenteritis. J Br Med. 3:338-43.
- Bullen JJ, Rogers HJ, Leigh L.** 1972. Iron-binding proteins in milk and resistance to *Escherichia coli* infections in infants. J Br Med. 1:69-75.
- Canton R, Valverde A, Novais A, Machado E, Peixe L, Baquero F, Coque TM.** 2007. Evolución y panorama actual de las BLEEs. Enferm Infect Microbiol Clin. 25 (Supl. 2): 2-10.
- Carver JD. and Walker WA.** 1995. The role of nucleotides in human nutrition. J Nutr Biochem. 6: 58-72.
- Chierici R, Sawatzki G, Thurl S, Tovar K, Vigi V.** 1997. Experimental milk formulae with reduced protein content and desialylated milk proteins: Influence on the faecal flora and the growth of term newborn infants. Acta Paediatr. 86:557-563.
- Chuba PJ, Leon MA, Banerjee A, Palchaudhuri S.** 1989. Cloning and DNA sequence of plasmid determinant *iss*, coding for increased serum survival and surface exclusion, which has homology with lambda DNA. Mol. Gen. Genet. 216:287-292.
- Clermont O, Bonacorsi S, Bingen E.** 2000. Rapid and simple determination of the *Escherichia coli* phylogenetic Group. Appl Environ Microbiol. 66:4555-4558.

**Clinical and Laboratory Standards Institute.**

**2005.** Performance standards for antimicrobial susceptibility testing: 15<sup>th</sup> informational supplement. CLSI document M100-S15. Clinical and Laboratory Standards Institute, Wayne, PA.

**Comité de l'Antibiogramme de la Société Francaise de Microbiologie.** Communiqué 2000-2001. 2001.

**Conell H, Hedlun M, Agace W, Svanborg C.** 1997. Bacterial attachment to uroepithelial cells: mechanisms and consequences. *Adv Dent Res.* 11 :50-8.

**Coppa GV., Zampini L., Galeazzi T., Gabrielli O.** 2006. Prebiotics in human milk: a review. *Dig Liver Dis.* 38 (Supp. 2): S291-S294.

**Cosgrove M.** 1998. Nucleotides. *Nutrition.* 14: 748 – 751.

**Costalos C., Kapiki A., Apostolou M., Papathoma E.** 2008. The effect of a prebiotic supplemented formula on growth and stool microbiology of term infants. *Early human Develop.* 84: 45-49.

**Cummings JH, Beatty ER, Kingman SM, Bingham, Englyst HN.** 1996. Digestion and physiological properties of resistant starch in the human large bowel. 1996. *Br J Nutr.* 75:733-747.

**Cummings JH, Pomare EW, Branch WJ, Naylor CP, Macfarlane GT.** 1987. Short chain fatty acids in human large intestine, portal, hepatic and venous blood. *Gut.* 28:1221-1227.

**Davis AM, Harris BJ, Lien E, Pramuk K, Trabulsi J.** 2008. Alpha-lactalbumin-rich infant formula fed to healthy term infants in a multicenter study: plasma essential amino acids and gastrointestinal tolerance. *Eur J Clin Nutr.* 62: 1294-1301.

**De Almeida VC, Pessoa-Silva CL, Sampaio JL, Gontijo Filho PP, Teixeira LM, Moreira BM.** 2005. Genetic relatedness among extended-spectrum beta-lactamase-producing *Klebsiella pneumoniae* outbreak isolates associated with colonization and invasive disease in a neonatal intensive care unit. *Microb. Drug Resist.* 11:21-25.

**Dethlefsen L, McFall-Ngai M., Relman DA.** 2007. An ecological and evolutionary perspective on human-microbe mutualism and disease. *Nature.* 449:811-818.

**Dobrindt U, Blum-Oehler G, Hartsch T, Gottschalk G, Ron EZ, Funfstuck R, Hacker J.** 2001. S-fimbria-encoding determinant *sfa(I)* is located on pathogenicity island

III536 of uropathogenic *Escherichia coli* strain 536. Infect Immun. 69:4248-4256.

**Dominguez E, Zarazaga M, Saenz Y, Briñas L, Torres C.** 2002. Mechanisms of antibiotic resistance in *Escherichia coli* isolates obtained from healthy children in Spain. Microb Drug Resist. 8:321-327.

**Drews SJ, Poutanen SM, Mazzulli T, McGeer AJ, Saravia A, Pong-Porter S, Rzayev Y, Willey W, Green K, Low DE.** 2005. Decreased prevalence of virulence factors among ciprofloxacin-resistant uropathogenic *Escherichia coli* isolates. J. Clin. Microbiol. 43:4218-4220.

**Ducluzeau R.** 1993. Development, equilibrium and role of microbial flora in the newborn. Ann Pediatr. 40:13-22.

**Duman M, Abacioglu H, Karaman M, Duman N, Özkan H.** 2005.  $\beta$ -lactam antibiotic resistance in aerobic commensal fecal flora of newborns. Pediatrics International. 47:267-273.

**Duriez P, Clermont O, Bonacorsi S, Bingen E, Chaventré A, Elion J, Picard, Denamur E.** 2001. Commensal *Escherichia coli* isolates are phylogenetically distributed among geographically distinct human populations. Microbiology. 147: 1671-1676.

**Eckburg PB, Bik EM, Bernstein CN, Purdom E, Dethlefsen L, Sargent M, Gill SR, Nelson KE, Relman DA.** 2005. Diversity of the human intestinal microbial flora. Science. 308:1635-1638.

**Ena J, Lopez-Perezagua MM, Martinez-Peinado C, Cía-Barrio MA, Ruíz-López I.** 1998. Emergence of ciprofloxacin resistance in *Escherichia coli* isolates after widespread use of fluorquinolones. Diagn Microbiol Infect Dis. 30:103-107.

**Engfer MB, Stahl B, Finke B, Sawatzki G, Daniel H.** 2000. Human milk oligosaccharides are resistant to enzymatic hydrolysis in the upper gastrointestinal tract. Am J Clin Nutr. 71, 1589-1596.

**Eriksson M, Melen AB, Myback KE, Winbladh B, Zetterström R.** 1982. Bacterial colonization of newborn infants in a neonatal intensive care unit. Acta Paediatr Scand. 74:207-12.

**Escobar-Páramo P, Grenet K, Le Menach A, Rode L, Salgado E, Amorin C, Gouriou S, Picard B, Rahimy MC, Andremont A, Denamur E, Ruimy R.** 2004. Large-scale populations structure of human commensal *Escherichia coli* isolates. Appl Environ Microbiol. 70:5698-5700.

**Fanaro S, Bohem G, Garssen J.** 2005. Galacto-oligosaccharides and long chain

- fructo-oligosaccharides as prebiotics in infant formulas: a review. *Acta Paediatr.* 94: 22-26.
- Fanaro S, Chierici R, Guerrini P, Vigi V. 2003.** Intestinal microflora in early infancy : composition and development. *Acta Paediatr Suppl.* 91:48-55.
- Fast J, Mossberg AK, Svanborg C, Linse S. 2005.** Stability of HAMLET-a kinetically trapped alpha lactalbumin oleic acid complex. *Protein Sci.* 14:329-40.
- Favier CF, Vaughan EE, De vos WM, Akkermans DL. 2002.** Molecular monitoring of succession of bacterial communities in human neonates. *Appl Environ Microbiol.* 68:219-226.
- Feeney AR, Cooke EM, Shinebaum R. 1980.** A comparative study of gram-negative aerobic bacilli in the faeces of babies born in hospital and at home. *J Hyg. Camb.* 84: 91-95.
- Fernández-Beros ME, Kissel V, Lior H, Cabello FC. 1990.** Virulence related genes in ColV plasmids of *Escherichia coli* isolated from human blood and intestines. *J Clin. Microbiol.* 28:742-746.
- Fernández C, Chávez Y. 1999.** Aplicación de la Reacción en Cadena de la Polimerasa para la detección de micoplasmas en cultivos celulares. *Rev Salud Anim.* 18:31-34.
- Finlay BB, and Falkow, S. 1997.** Common themes in microbial pathogenicity revisited. *Microb Mol Biol Rev.* 61:136-169.
- Fournier B, Lu CY, Lagrange PH, Krishnamoorthy R, Philippon A. 1995.** Point mutation in the pribnow box, the molecular basis of  $\beta$ -lactamse overproduction in *Klebsiella oxytoca*. *Antimicrob Agents Chemother.* 39:1365-8.
- Freter R. 1992.** Factors affecting the microecology of the gut. In: Fuller R, editor. *Probiotics, the scientific basis.* London: Chapman and Hall. 38:111-144.
- Fryklund B, Tullus K, Berglund B, Burman LG. 1992.** Importance of the environment and the faecal flora of infants, nurseries staff and parents as sources of gram-negative bacteria colonizing newborns in three neonatal wards. *Infection.* 20: 5.
- Fukushima Y, Kawata Y, Hara H, Terada A, Mitsuoka T. 1998.** Effect of a probiotic formula on intestinal immunoglobulin A production in healthy children. *Int J Food Microbiol.* 42:39-44.
- Garau J, Xercavins M, Rodriguez M. 1999.** Emergent and dissemination of quinolone-

resistant *Escherichia coli* in the community. Antimicrob Agents Chemoter. 43:2736.

**Gareau FE, Mackel DC, Boring III Jr, Payne FJ, Hammet FL. 1959.** The adquisition of fecal flora by infants from their mothers during birth. J Pediatr. 54:313-18.

**George M, Nord CE, Ronquist G, Hedenstierna G, Wiklund L. 1996.** Faecal microflora and urease activity during the first six months of infancy. Uppsala J Med Sci. 101:233-50.

**Gibson GR, Roberfroid MB. 1995.** Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. J Nutr. 125:1401-1412.

**Gibson GR, Collins MD. 1999.** Concept of balanced colonic microflora, prebiotics and synbiotics. En: Probiotics, other nutritional factors and intestinal microflora. Hanson, L.A. y Yolken, R.H.(eds.). Philadelphia, Lippincott-Raven. 139-156.

**Gibson GR, McCartney AL. 1998.** Modification of the gut flora by dietary means. Biochem. Soc. Transactions. 26:222-228.

**Gibson RA, Neumann MA, Makrides M. 1997.** Effect of increasing breas milk docosahexaenoic acid on plasma and

erytrocyte phospholipid fatty acids and neural indices of exclusively breast fed infants. Eur. J Clin Nutr. 51: S78-S84.

**Gil A, Uauy R. 1995.** Nucleotides and related compounds in human and bovine milks. In: Handbook of milk composition, ed. RG Jensen, pp 436-467. San Diego, CA: Academic Press.

**Gil A. 2001.** New additions to infant formulas . In: Pediatr Gastroentrol Nutr in Clinical Practice , ed. C Lifschitz, pp 113-135. New York: Marcel Dekker.

**Gilson L, Mahanty HK, Kolter R. 1987.** Four plasmid genes are required for colicin V synthesis, export, and immunity. J Bacteriol. 169:2466-2470.

**Gobernado M, Valdes L, Alos JJ, Garcia-Rey C, Dal-Re R, Garcia de Lomas J, and the Spanish Surveillance Group for Urinary Pathogens. 2007.** Antimicrobial susceptibility of clinical *Escherichia coli* isolates from uncomplicated cystitis in women over a 1-year period in Spain. Rev Esp Quimioterap. 20:68-75.

**Goldman DA. 1981.** Bacterial colonization and infection in the neonate. Am J Med. 70:417-22.

- Goldman DA. 1988.** The bacterial flora of neonates in intensive care- monitoring and manipulation. *J Hosp Infect.* 11, Suppl A:340-51.
- Gordon JI, Hooper LV, McNevin MS, Wong M, Bry L. 1997.** Epithelial cell growth and differentiation. III. Promoting diversity in the intestine: conversations between the microflora, epithelium, and diffuse GALT. *Am J Physiol* 273:G565-G570.
- Gordon DM, Stern SE, Collignon S. 2005.** Influence of the age and sex of human hosts on the distribution of *Escherichia coli* ECOR groups and virulence traits. *Microbiology.* 151:15-23.
- Gotheffors L, Carlson B, Ahlstedt S, Hanson LA, Winberg J. 1976.** Influence of maternal gut flora and colostral and cord serum antibodies on presence of *Escherichia coli* in faeces of the newborn infant. *Acta Paediatr Scand.* 65:225-32.
- Greer FR. 2010.** Vitamin K the basics- What's new? *Early Hum Dev.* 86:43-47.
- Gräser Y, Clare Y, Halle E, Gantengberg R, Buchholz P, Jacobi HD, Presber W, Schönian G. 1993.** Epidemiological study of an *Acinetobacter baumanii* outbreak by polymerase chain reaction fingerprinting. *J Clin Microbiol.* 31:2417-20.
- Groisman EA, Ochman H. 1996.** Pathogenicity island: bacterial evolution in quantum leaps. *Cell.* 87:791-794.
- Guarner F, Malagelada JR. 2003.** Gut flora in health and disease. *Lancet.* 361:512-519.
- Gustafsson L, Leijonhufvud I, Aronsson A, Mossberg AK, Svanborg C. 2004.** Treatment of skin papillomas with topical alpha-lactalbumin oleic acid. *N. England J Med.* 24: 2663-72.
- Guyer DM, Kao J-S, Mobley HLT. 1998.** Genomic analysis of a pathogenicity island in uropathogenic *Escherichia coli* CFT073: distribution of homologous sequences among isolates from patients with pyelonephritis, cystitis, and catheter-associated bacteriuria and from fecal samples. *Infect Immun.* 66:4411-7.
- Haarman M, Knol J. 2005.** Quantitative real-time PCR assays to identify and quantifay fecal *Bifidobacterium* species in infants receiving a prebiotic infant formula. *Appl Environ Microbiol.* 71: 2318-24.
- Hall MA, Cole CB, Smith SL, Fuller R, Rolles CJ. 1990. **Factors influencing the presence of faecal lactobacilli in early infancy.** *Arch Dis Child.* 65:185-188.

- Hartemink R.** 1999. Prebiotic effects of non-digestible oligo and polysaccharides. PhD. Thesis, University of Wageningen, The Nederlands.
- Hattori M, Taylor TD.** 2009. The Human Intestinal Microbiome: A new Frontier of Human Biology. *DNA Research.* 16:1-12.
- Hay G, Johnston C, Whitelaw A, Trygg K, Refsum H.** 2008. Folate and cobalamin status in relation to breastfeeding and weaning in healthy infants. *Am J Clin Nutr.* 88(1):105-14.
- Herías MV, Midtvedt T, Hanson LA, Wold AE.** 1995. Role of *Escherichia coli* P fimbriae in intestinal colonization in gnotobiotics rats. *Infect Immun.* 63:4781-4789.
- Herzer PJ, Inouye S, Inouye M, Whittam TS.** 1990. Phylogenetic distribution of branched RNS-linked multicopy single-stranded DNA among natural isolates of *Escherichia coli*. *J Bacteriol.* 172:6175-6181.
- Hewitt JH, Rigby.** 1976. Effect of various milk feeds on numbers of *Escherichia coli* and *Bifidobacterium* in the stools of newborn infants. *J Hyg.* 77:129-139.
- Hooper LV, Wong MH, Thelin A, Hansson L, Falk PG, Gordon JI.** 2001. Molecular analysis of commensal host-microbial relationship in the intestine. *Science.* 291:881-884.
- Hooper LV, Midtvedt T, Gordon JI.** 2002. How host microbial interactions shape the nutrient environment of the mammalian intestine. *Annu Rev Nutr.* 22:283-307.
- Horcajada JP, Soto S, Gajewski A, Smithson A, Jiménez de Anta MT, Mensa J, Vila J, Jonson JR.** 2005. Quinolone-Resistant uropathogenic *Escherichia coli* strains from phylogenetic Group B2 have fewer virulence factors than their susceptible counterparts. *J Clin Microbiol.* 43:2962-2964.
- Hotta M, Saito Y, Iwata S, Yamashita N, Sunakawa K, Oikawa T, Tanaka R, Watanabe K, Takayama H, Yajima M, Sekiguchi S, Arai S, Sakurai T, Mutai M.** 1987. Clinical effects of *Bifidobacterium* preparations on pediatric intractable diarrhea. *Keio J Med.* 36:298-314.
- Huang S-H, Wass C, Fu Q, Prasadrao NV, Stins M, Kim KS.** 1995. *Escherichia coli* invasion of brain microvascular endothelial cells in vitro and in vivo: molecular cloning and characterization of invasion gen *ibe10*. *Infect Immun.* 63:4470-4475.
- Innis SM, Gilley J, Werker J.** 2001. Are human milk long chain polyunsaturated

- fatty acids related to visual and neural development in breast fed infants? J Pediatr. 39: 532-538.
- Isolauri E, Arvola T, Sütas Y, Moilanen E, Salminen S. 2000.** Probiotics in the management of atopic eczema. Clin Exp Allergy. 30:1604-1610.
- Jacobi AG. 1997.** Extended-spectrum  $\beta$ -lactamases and other enzymes providing resistance to oxyimino-  $\beta$ -lactams. Clin Infect Dis. North Am. 11:875-87.
- Jacoby GA, Munoz-Price LS. 2005.** The new beta-lactamases. N Engl J Med. 352: 380-91.
- Johnson JR. 1991.** Virulence factors in *Escherichia coli* urinary tract infection. Clin Microbiol Rev. 4:80-128.
- Johnson JR. 1994.** Host-pathogen interactions in *Escherichia coli* urinary tract infection. Curr Opin Infect Dis. 7:287-94.
- Johnson JR, Brown JJ. 1996.** A novel multiply-primed polymerase chain reaction assay for identification of variant *papG* genes encoding the Gal(al-4)Galbinding PapG adhesins of *Escherichia coli*. J Infect Dis. 173:920-6.
- Johnson JR, Kuskowski MA, Gajewski A, Sahm Daniel F, Karlowsky James A. 2004.** Virulence Characteristics and Phylogenetic Background of Multidrug-Resistant and Antimicrobial-Susceptible Clinical Isolates of *Escherichia coli* from across the United States, 2000-2001. J Infect Dis. 190:1739-44.
- Johnson JR, Kuskowski MA, O'Bryan TT, Maslow JN. 2002.** Epidemiological correlates of virulence genotype and phylogenetic background among *Escherichia coli* blood isolates from adults with diverse-source bacteremia. J Infect Dis. 185:1439-47.
- Johnson JR, Kuskowski MA, O'Bryan TT, Colodner R, Raz R. 2005.** Virulence genotype and phylogenetic origin in relation to antibiotic resistance profile among *Escherichia coli* urine sample isolates from Israeli women with acute uncomplicated cystitis. Antimicrob Agents Chemother. 49:26-31.
- Johnson JR, O'Bryan TT, Kuskowski M, Maslow JN. 2001.** Ongoing horizontal and vertical transmission of virulence genes and *papA* alleles among *Escherichia coli* blood isolates from patients with diverse-source bacteremia. Infect Immun. 69:5363-74.
- Johnson JR, Russo TA. 2002.** Extraintestinal pathogenic *Escherichia coli* (ExPEC): the “other bad *E. coli*”. J Lab Clin Med. 139:155-62.

## X. Bibliografía

---

- Johnson JR, Stell AL. 2000.** Extended virulence genotypes of *Escherichia coli* strains from patients with urosepsis in relation to phylogeny and host compromise. *J Infect Dis.* 181:261-72.
- Jorgensen MH, Hernell O, Hughes EL, Michaelsen KF. 2001.** Is there a relation between docosahexaenoic acid concentration in mothers milk and visual development in term infants? *J Ped Gastr Nutr.* 32: 293-296.
- Kanukollu U, Bieler S, Hull S, Hull R. 1985.** Contribution of the *traT* gene to serum resistance among clinical isolates of *Enterobacteriaceae*. *J Med Microbiol.* 19: 61-67.
- Karami N, Hannoun C, Adlerberth I, and Wold AE. 2008.** Colonization dynamics of ampicillin resistant *Escherichia coli* in the infantile colonic microbiota. *J Antimicrob Chemother.* 62:703-708.
- Kay B, Fuller R, Wilkinson AR, Hall M, McMichael JE, Cole CB. 1990.** High levels of staphylococci in the faeces of breast-fed babies. *Microb Ecol Health Dis.* 3:277-9.
- Kayser H, Meisel H. 1996.** Stimulation of human peripheral blood lymphocytes by bioactive peptides derived from bovine milk proteins. *FEBS Lett.* 383: 18-20.
- Kelleher SL, Chatterton D, Nielsen K, Lonnerdal B. 2003.** Glycomacropeptide and alpha-lactalbumin supplementation of infant formula affects growth and nutritional status in infant rhesus monkeys. *Am J Clin Nutr.* 77: 1261-1268.
- Kimura K, McCartney AI, McConnell and Tannock GW. 1997.** Analysis of fecal populations of bifidobacteria and lactobacilli and investigation of the immunological responses of their human hosts to the predominant strains. *Appl Environ Microbiol.* 63:3394-3398.
- Koletzko B, Lien E, Agostoni C, Böhkes H, Campoy C, Cetin I, Decsi T, Dudenhausen JW, Dupont C, Forsyth S, Hoesli I, Holzgreve W, Lapillonne A, Putet G, Secher NJ, Symonds M, Szajewska H, Willatts P, Uauy R; World Association of Perinatal Medicine Dietary Guidelines Working Group. 2008.** The roles of long chain polyunsaturated fatty acids in pregnancy, lactation and infancy: review of current knowledge and consensus recommendations. *J Perinat Med.* 36: 5-14.
- Krinos CM, Coyne MJ, Weinacht, Tzianabos, Kasper DL, Comstock LE. 2001.** Extensive surface diversity of a commensal microorganism by multiple DNA inversions. *Nature.* 414:555-558.

- Krissansen GW.** 2007. Emerging health properties of whey proteins and their clinical implications. *J Am Coll Nutr.* 26:713S-23S.
- Kühn I, Tullus K Möllby R.** 1986. Colonization and persistence of *Escherichia coli* phenotypes in the intestines of children age 0 to 18 months. *Infection.* 14:7-12.
- Kunz C, Rudloff S.** 1993. Biological functions of oligosaccharides in human milk. *Acta Pediatr.* 82:903-912.
- Lauritzen L, Jorgensen MH, Mikkelsen TB, Skovgaard IM, Straarup E, Olsen SF, Hoy C, Michaelsen KF.** 2004. Maternal fish oil supplementation in lactation: effect on visual acuity and n-3 fatty acid content of infant erytrocites. *Lipids.* 39: 195-206.
- Lazcano E, Salazar E, Gutiérrez P, Angeles A, Hernández A, Viramontes JL.** 2004. Ensayos clínicos aleatorizados: variantes, métodos de aleatorización, análisis, consideraciones éticas y regulación. *Sal. Publ. Mex.* 46, nº006.
- Le Bouguenec C, Archambaud M, Labigne A.** 1992. Rapid and specific detection of the *pap*, *afa*, and *sfa* adhesin-encoding operons in uropathogenic *Escherichia coli* strains by polymerase chain reaction. *J Clin Microbiol.* 30:1189-93.
- Ley RE, Peterson DA, Gordon JI.** 2006. Ecological and evolutionary forces shaping microbial diversity in the human intestine. *Cell.* 124:837-848.
- Lievin V, Peiffer I, Hudault S.** 2000. *Bifidobacterium* strains from resident infant human gastrointestinal microflora exert antimicrobial activity. *Gut.* 47:646-652.
- Livermore DM, Canton R, Gniadkowski M, Nordmann P, Rossolini GM, Arlet G, Ayala J, Coque TM, Kern-Zdanowicz I, Luzzaro F, Poirel L, Woodford N.** 2007. CTX-M: changing the face of ESBLs in Europe. *J Antimicrob Chemother.* 59, 165-74.
- Lukomski S, Hull RA, Hull SI.** 1996. Identification of the O antigen polymerase (*rfc*) gene in *Escherichia coli* 04 by insertional mutagenesis using a nonpolar chloramphenicol resistance cassette. *J Bacteriol.* 178:240-7.
- Lundequist B, Nord CE, Winberg J.** 1985. The composition of the faecal microflora in breastfed and bottle-fed infants from birth to eight weeks. *Acta Paediatr Scand.* 74:45-51.

- Macfarlane GT, Cummings JH, Allison C.** **1986.** Protein degradation by human intestinal bacteria. *J Gen Microbiol.* 132:1647-1656.
- Mackie RI, Sghir A, Gaskin HR.** **1999.** Development microbial ecology of the neonatal gastrointestinal tract. *Am J Clin Nutr.* 69:1035S-45S.
- Mahmood A, Engle MJ, Hultgren SJ, Goetz GS, Dodson K, Alpers DH.** **2000.** Role of intestinal surfactant-like particles as a potential reservoir of uropathogenic *Escherichia coli*. *Biochim Biophys Acta.* 1519:49-55.
- Mändar R, Mikelsaar M.** **1996.** Transmission of mother's microflora to the newborn at birth. *Biol Neonate.* 69:30-5.
- Mandell GL, Bennet JE, Dolin R.** **2006.** Enfermedades infecciosas. Principios y Práctica. 6<sup>a</sup> Edición. 2<sup>o</sup> Volumen.
- Marangoni F, Agostoni C, Lammardo A, Giovannini M, Galli C, Riva E.** **2000.** Polyunsaturated fatty acid concentrations in human hindmilk are stable throughout 12 months of lactation and provide a sustained intake to the infant during exclusive breastfeeding: an Italian study. *British J Nutr.* 84: 103-109.
- Martens JH, Barg H, Warren MJ, Jahn D.** **2002.** Microbial production of vitamin B<sub>12</sub>. *Appl Microbiol Biotechnol.* 58: 275-285.
- Martín MJ, Martín S, García LA, Hueso P.** **2001.** Distribution of bovine milk sialoglicoconjugates during lactation. *J Dairy Sci.* 84:995-1000.
- Martín S, Martín MJ, García Luis A, Hueso P.** **2004.** Distribution of sialic acids in the milk of Spanish mothers of full term infants during lactation. *J Ped Gastroenterol Nutr.* 39:499-503.
- Martín R, Heilig GH, Zoetendal EG, Smidt H, Rodríguez JM.** **2007.** Diversity of the *Lactobacillus* group in breast milk and vagina of healthy women and potential role in the colonization of the infant gut. *J Appl Microbiol.* 103:2638-44.
- Martínez-Agustín O, Boza JJ, Del Pnopal JI, Lucena J, Martínez Valverde A, Gil A.** **1997.** Dietary nucleotides might influence the humoral immune response against cow's milk proteins in preterm neonates. *Biol. Neonate.* 71, 215-223.
- Maslow JN, Mulligan E, Adams KS, Justis JC, and Arbeit RD.** **1993.** Bacterial adhesins and host factors: role in the development and outcome of *Escherichia coli* bacteremia. *Clin Infect Dis.* 17:89-97.

- Matsuki T, Watanabe K, Fujimoto J, Takada T, Tanaka R. 2004.** Use of 16S rRNA gene-targeted group-specific primers for real-time PCR analysis of predominant bacteria in human feces. *Appl Environ Microbiol.* 70:7220-8.
- Maurelli AT, Fernandez RE, Bloch CA, Rode CK, Fasano A. 1998.** "Black holes" and bacterial pathogenicity: a large genomic deletion that enhances the evidence of *Shigella* spp. and enteroinvasive *Escherichia coli*. *Proc Natl Acad Sci USA* 95:3943-3948.
- Millar M, Philpott A, Wilks M, Whiley A, Warwick S, Hennessy E, Coen P, Kempley S, Stacey F, Costeloe k. 2008.** Colonization and persistance of antibiotic-resistant *Enterobacteriaceae* strains in infants nursed in two neonatal intensive care units in east London, United Kingdom. *J Clin Microbiol.* 46:560-567.
- Mills M, Payne S. 1995.** Genetics and regulation of haem iron transport in *Shigella dysenteriae* and detection of an analogous system in *Escherichia coli* O157:H7. *J Bacteriol.* 177:3004-3009.
- Mirelis B, Navarro F, Miró E, Mesa RJ, Coll P, Prats G. 2003.** Community transmission of extended-spectrum β-lactamase. *Emerg Infect Dis.* 9:1024-5.
- Mitsuoka T. 1984.** Taxonomy and ecology of bifidobacteria. *Bifidobacteria Microflora.* 3:11-28.
- Miró E, Mirelis B, Navarro F, Rivera A, Mesa RJ, Roig MC, Gómez L, Coll P. 2005.** Surveillance of extended-spectrum β - lacamases from clinical samples and faecal carriers in Barcelona, Spain. *56:1152-1155.*
- Mohapatra BR, Broersma K, Nordin R, Mazumder A. 2007.** Evaluation of repetitive extragenic palindromic-PCR for discrimination of fecal *Escherichia coli* from humans, and different domestic and wild animals. *Microbiol Immunol.* 51:733-740.
- Moreau MC, Thomasson M, Ducluzeau R, Raibaud P. 1986.** Cinétique d'établissement de la microflore digestive chez le nouveau-né humain en fonction de la nature du lait. *Reprod Nutr Dev.* 26:745-753.
- Morelli L. 2008.** Postnatal development of intestinal microflora as influenced by infant nutrition. *J Nutr.* 138: 1791S-1795S.
- Moreno E, Prats G, Sabaté M, Pérez T, Johnson JR, Andreu A. 2006.** Quinolone, fluorquinolone and

## X. Bibliografía

---

- trimethoprim/sulfamethoxazole resistance in relation to virulence determinants and phylogenetic background among uropathogenic *Escherichia coli*. J Antimicrob Chemother. 57:204-211.
- Moreno E, Prats G, Planells I, Planes AM, Pérez T, Andreu A. 2006.** Caracterización de *Escherichia coli* de los grupos filogenéticos A y B1 causantes de infección extraintestinal. Enferm Infect Microbiol Clin. 24:483-9.
- Moro G, Minoli I, Mosca E, Fanaro S, Jelinek J, Stahl B, Bohem G. 2002.** Dosage-related bifidogenic effects of galacto- and fructooligosaccharides in formula-fed term infants. J Pediatr Gastroenterol Nutr. 34,291-295.
- Morrow AL, Ruiz-Palacios GM, Altaye M, Jiang X, Guerrero ML, Meinzen-Derr JK, Farkas T, Chaturvedi P, Pickering LK, Newburg DS. 2004.** Human milk oligosaccharide blood group epitopes and innate immune protection against campylobacter and calicivirus diarrhea in breast infants. Adv. Exp. Med. Biol. 554:443-6.
- Murono K, Fujita K, Yoshikawa M, Saijo M, Inyaku F, Kakehashi H, Tsukamoto T. 1993.** Acquisition of non maternal *Enterobacteriaceae* by infants delivered in hospitals. J Pediatr. 122:120-5.
- Nakamura N, Gaskins R, Collier CT, Nava GM, Rai D, Petschow B, Russell WM, Harris C, Mackie RI, Wampler JL, and Walker DC. 2009.** Molecular ecological analysis of fecal bacterial populations from term infants fed formula supplemented with selected blends of prebiotics. Appl Environ Microbiol. 75:1121-1128.
- Navarro J, Ruíz Bravo A, Jiménez Valera M and Gil A. 1996.** Modulation of antibody forming cell and mitogen driven lymphoproliferative responses by dietary nucleotides in mice. Immunol Lett. 53, 141-145.
- Navarro F, Miró E. 2002.** Update on CTX-M type β-lactamases. Rev Med Microbiol.
- Nelson EC, Elisha BG. 1999.** Molecular basis of AmpC hyperproduction in clinical isolates of *Escherichia coli*. Antimicrob Agents Chemother. 43:957-9.
- Newburg DS., Ruz Palacios GM., Morrow AL. 2005.** Human milk glycans protect infants against enteric pathogens. Ann. Rev. Nutr. 25: 37-58.
- Noguchi H, Park J, Takaqi T. 2006.** MetaGene: prokaryotic gene finding from

environmental genome shotgun sequences.  
Nucleic Acids Res. 34:5623-5630.

**Nohle U, Schauer R. 1984.** Metabolism of sialic acids from exogenously administered sialyllactose and micin in mouse and rat  
Hoppe Seilers Z. Physiol. Chem. 3654:  
1457-67.

**Nowrouzian FL, Wold AE, Adlerberth I. 2001.** P fimbriae and aerobactin as intestinal colonization factors for *Escherichia coli* in Pakistani infants.  
Epidemiol Infect. 126:46-52.

**Nowrouzian FL, Adlerberth I, Wold AE. 2001.** P fimbriae, capsule and aerobactin characterize colonic resident *Escherichia coli*. Epidemiol Infect. 126:11-18.

**Nowrouzian FL, Adlerberth I, Wold AE. 2006.** Enhanced persistence in the colonic microbiota of *Escherichia coli* strains belonging to phylogenetic group B2: role of virulence factors and adherence to colonic cells. Microbes and Infection 8. 834-840.

**Nowrouzian FL, Wold AE, Adlerberth I. 2005.** *Escherichia coli* Strains belonging to phylogenetic group B2 have superior capacity to persist in the intestinal microflora of infants. J Infect Dis. 191:1078-1083.

**Nowrouzian F, Hesselmar B, Saalman R, Strannegard I-L, Aberg N, Wold AE, Adlerberth I. 2003.** *Escherichia coli* in infants'intestinal microflora: Colonization rate, strain turnover, and virulence gene carriage. Pediatric Research. 54:8-14.

**Obata-Yasuoka M, Ba-Thein W, Tsukamoto T, Yoshikawa H, Hayashi H. 2002.** Vaginal *Escherichia coli* share common virulence factor profiles, serotypes and phylogeny with other extraintestinal *E. coli*. Microbiology. 148:2745-52.

**Ochman H, Lawrence JG, and Groisman EA. 2000.** Lateral gene transfer and the nature of bacterial innovation. Nature. 405: 299-304.

**Ohara T, Itoh K. 2003.** Significance of *Pseudomonas aeruginosa* colonization of the gastrointestinal tract. Intern Med. Nov;42(11):1072-6.

**OMS. 2006.** WHO clinical trial initiative to protect the public. Bulletin of the WHO. 84:1-80.

**Orrage K, Nord CE. 1999.** Factors controlling the bacterial colonization of the intestine in breastfed infants. Acta Paediatr Suppl. 88:47-57.

- Örskov F, Sørensen KB. 1975.** *Escherichia coli* serogroups in breast-fed and bottle-fed infants. *Acta Pathol Microbiol Scand Sect B Microbiol.* 83:25-30.
- Ortega MA, Nunez MC, Gil A, Sánchez-Pozo A. 1995.** Dietary nucleotides accelerate intestinal recovery after food deprivation in old rats. *J Nutr.* 125:1413-8.
- Palmer C, Bik EM, Digiulio DB, Relman DA, Brown PO. 2007.** Development of the human infant intestinal microbiota. *Plos Biol.* 5:1556-1573.
- Park YK, y Almeida MM, 1991.** Production of fructooligosaccharides from sucrose by a transfructosylase from *Aspergillus niger*. *World J Microbiol Biotechnol.* 7: 331-334.
- Paterson DL, Bonomo RA. 2005.** Extended-spectrum beta-lactamase: A clinical update. *Clin Microbiol Rev.* 18: 657-86.
- Pavelka MS Jr, Wright LF, Silver RP. 1991.** Identification of two genes, *kpsM* and *kpsT*, in region 3 of the pksialic acid gene cluster of *Escherichia coli* K1. *J Bacteriol.* 173:4603-4610.
- Pellegrini A, Thomas U, Bramaz N, Hunziker P, Von Fellenberg R. 1999.** Isolation and identification of three bactericidal domains in the bovine  $\alpha$ -lactalbumin molecule. *Biochim Biophys Acta.* 1426: 439-48.
- Penders J, Vink C, Driessen C, London N, Thijs C, Stobberingh I. 2005.** Quantification of *Bifidobacterium spp.*, *Escherichia coli* and *Clostridium difficile* in faecal samples of breast-fed and formula-fed infants by real-time PCR. *FEMS Microbiol Lett.* 243:141-147.
- Penders J, Thijs C, Vink C, Stelma FF, Snijders B, Kummeling I, van den Brandt PA, Stobberingh EE. 2006.** Factors influencing the composition of the intestinal microbiota in early infancy. *Pediatrics.* 118:511-21.
- Penders J, Thijs C, van den Brandt PA, Kummeling I, Snijders B, Stelma F, Adams H, van Ree R, Stobberingh EE.. 2007.** Gut microbiota composition and development of atopic manifestations in infancy: the KOALA Birth Cohort Study. *Gut.* 56:661-7.
- Piatti G, Mannini A, Balistreri M, Schito AM. 2008.** Virulence factors in urinary *Escherichia coli* strains: Phylogenetic background and quinolone and fluorquinolone resistance. *J Clin Microbiol.* 480-487.

- Picard B, García JS, Gouriou S, Duriez P, Brahimi N, Bingen E, Elion J, Denamur E. 1999.** The link between phylogeny and virulence in *Escherichia coli* extraintestinal infection. *Infect Immun.* 67:546-553.
- Pisacane A, Graziano L, Mazzarella G, Scarpellino B, Zona G. 1992.** Breastfeeding and urinary tract infection. *J. Pediatr.* 120: 87-90.
- Reid G, Sanders ME, Gaskins HR, Gibson GR, Mercenier A, Rastall R. 2003.** New scientific paradigms for probiotics and prebiotics. *J Clin Gastroenterol.* 37: 105-118.
- Ren J., Stuart DI, Acharya KR. 1993.** Alpha-lactalbumin possesses a distinct zinc binding site. *J Biol Chem.* 268: 19292-19298.
- Rinne MM, Gueimonde M, Kalliomaki M, Hoppu U, Salminen SJ, Isolauri E. 2005.** Similar bifidogenic effects of prebiotic-supplemented partially hydrolyzed infant formula and breastfeeding on infant gut microbiota. *FEMS Immunol. Med Microbiol.* 43:59-65.
- Roberfroid MB, Borner F, Bouley C, Cummings JH. 1995.** Colonic microflora: nutrition and health: summary and conclusions of an International Life Sciences Institute (ILSI) workshop held in Barcelona. *Spain Nutr Rev.* 53:127-130.
- Roberts AK, Chierici R, Sawatzki G, Hill MJ, Volpato S, Vigi V. 1992.** Supplementation of an adapted formula with bovine lactoferrin:1. Effect on the infant faecal flora. *Acta Paediatr.* 81:119-24.
- Rochat F, Cherbut C, Barclay D., Puccio G, Fazzolari- Nesci F, Grath wohl D, Haschke F. 2007.** A whey predominant formula induces fecal microbiota similar to that found in breast fed infants. *Nutrition Research* 27: 735-740.
- Rotimi VO, Duerden BI. 1981.** The development of the bacterial flora in normal neonates. *J Med Microbiol.* 14:51-62.
- Rubaltelli FF, Biadaioli R, Pecile P, Nicoletti P. 1998.** Intestinal flora in breast- and bottle-fed infants. *J Perinat Med.* 26:186-91.
- Rudolff S, Kunz C. 1997.** Protein and nonprotein nitrogen components in human milk, bovine milk and infant formula: quantitative and qualitative aspects in infant nutrition. *J Ped Gastroenterol Nutr.* 24: 328-44.

## X. Bibliografía

---

- Russo TA, Wenderoth S, Carlino UB, Merrick JM, Leese AJ.** 1998. Identification, genomic organization, and analysis of the group III capsular polysaccharide genes *kpsD*, *kpsM*, *kpsT* and *kpsE* from an extraintestinal isolate of *Escherichia coli* (CP9, O4/K54/H5). *J Bacteriol.* 180:338-349.
- Russo TA, Johnson JR.** 2003. Medical and economic impact of extraintestinal infections due to *Escherichia coli*: an overlooked epidemic. *Microbes Infect.* 5:449-56.
- Russo TA, Johnson JR.** 2000. Proposal for a new inclusive designation for extraintestinal pathogenic isolates of *Escherichia coli*: ExPEC. *J Infect Dis.* 181:1753-4.
- Rzayev Y, Willey W, Green K, Low DE.** 2005. Decreased prevalence of virulence factors among ciprofloxacin-resistant uropathogenic *Escherichia coli* isolates. *J Clin Microbiol.* 43:4218-4220.
- Sabate M, Moreno E, Pérez T, Andreu A, Prats G.** 2006. Pathogenicity island markers in comensal and uropathogenic *Escherichia coli* isolates. *Clin Microbiol Infect.* 12:880-886.
- Sakata S, Tonooka T, Ishizeki S, Takada M, Sakamoto M, Fukuyama M, Benno Y.** 2005. Culture-independent analysis of fecal microbiota in infants, with special reference to *Bifidobacterium* species. *FEMS Microbiol Lett.* 243:417-23.
- Sakata H, Yoshioka H, Fujita K.** 1985. Development of the intestinal flora in very low birth weight infants compared to normal fullterm newborns. *Eur J Pediatr.* 144:186-90.
- Sánchez-Pozo A, Rueda R, Fontana L, Gil A.** 1999. Dietary Nucleotides and cell growth. In Trends in comparative Biochemistry and Physiology, ed. SG Pandalai pp 99-111. Trivandrum: Transworld Research Network.
- Scholtens J, Allier P, Raes M, Alles MS, Kroes H, Boehm G, Knippels LM, Knol J, Vandenplas Y.** 2008. Fecal secretory immunoglobulin A is increased in healthy infants who receive a formula with short-chain galacto-oligosaccharides and long-chain fructo-oligosaccharides. *J Nutr.* 138:1141-1147.
- Schubert S, Rakin A, Karch H, Carniel E, Heesemann J.** 1998. Prevalence of the "high-pathogenicity island" of *Yersinia* species among *Escherichia coli* strains that are pathogenic to humans. *Infect Immun.* 66:480-485.
- Sears HJ, Brownlee I.** 1951. Further observations on the persistence of

- individual strains of *Escherichia coli* in the intestinal tract of man. 63:47-57.
- Selander Rk, Levin BR.** 1980. Genetic diversity and structure in *Escherichia coli* populations. Science. 210:545-547.
- Sghir A, Gramet G, Suau A, Rochet V, Pochart P and Dore J.** 2000. Quantification of bacterial groups within human fecal flora by oligonucleotide probe hybridization. Appl Environ Microbiol. 66:2263-2266.
- Shanaman PMA, Wylie BA, Adrian PV, Koornhof HJ, Thompson CJ, Amyes SGB.** 1993. The prevalence of antimicrobial resistance in human faecal flora in South Africa. Epidemiol Infect. 111:221-8.
- Shanaman PMA, Thomson CJ, Amyes SGB.** 1994.  $\beta$ -lactam resistance in aerobic commensal faecal flora. Int J Antimicrob Agents. 3:259-66.
- Sharon N, Ofek I.** 2002. Safe a mother's milk: carbohydrates as future anti-adhesion drugs for bacterial diseases. Glycoconj. J. 17: 659-64.
- Shaw KJ, Rather PN, Hare RS, Miller GH.** 1993. Molecular genetics of aminoglycoside resistance genes and familial relationships of the aminoglycoside modifying enzymes. Microbiol Rev. 57:138-63.
- Shlaes DM, Gerding DN, Jhon JF, Craig WA, Bornstein DL, Duncan RA, Eckman MR, Farrer WE, Greene WH, Lorian V, Levy S, McGowan JE Jr, Paul SM, Ruskin J, Tenover FC, Watanakunakorn C.** 1997. Society for healthcare epidemiology of america and infectious diseases society of America joint committee on the prevention of antimicrobial resistance: guidelines for the prevention of antimicrobial resistance in hospitals. Clin Infect Dis. 25:584-99.
- Shooter RA, Asheshov EH, Bullimore JF, Morgan GM, Parker MT, Walker KA, Williams VR.** 1966. Fecal carriage of *Ps. aeruginosa* in hospital patients. Lancet 2: 1331-1334.
- Siegel JD.** 1998. The newborn nursery. In: Bennet JV, Brachman PS, eds. Hospital Infections. 4<sup>th</sup> ed. Philadelphia: Lippincott-Raven, 1998:403-20.
- Siitonen A.** 1992. *Escherichia coli* in fecal flora of healthy adults: serotypes, P and type 1C fimbriae, non-P mannose-resistant adhesins, and hemolytic activity. J Infect Dis. 166:1058-65.

- Simon GL, Gorbach SL. 1984.** Intestinal flora in health a disease. *Gastroenterology*. 86:174-193.
- Singhal A, Morley R, Cole Tj, Kennedy K, Sonksen P, Isaacs E, Fewtrell M, Elias Jones A, Stephenson T, Lucas A. 2007.** Infant Nutrition and stereoacuity at age 4-6 y. *Am J Clin Nutr.* 85: 152-9.
- Singhal A, Macfarlane G, Macfarlane S., Lanigan J, Kennedy K, Elias-Jones A, Stephenson T, Dudek P, Lucas A. 2008.** Dietary nucleotides and fecal microbiota in formula fed infants: a randomized controlled trial. *J Clin Nutr.* 87: 1785-92.
- Sirot DL, Goldstein FW, Soussy CJ, Courtieu AL, Husson MO, Lemozy J, Meyran M, Morel C, Perez R, Quentin-Noury C, 1992.** Resistance to cefotaxime and seven other beta-lactams in members of the family *Enterobacteriaceae*: A 3-year survey in France. *Antimicrob. Agents Chemother.* 36:1677-81.
- Smart JB. 1993.** Transferase reactions of b-galactosidases new product opportunities. *Bull Int Dairy Fed.* 289:16-22.
- Smith AN, Boulnois GJ, Robert IS. 1990.** Molecular analysis of the *Escherichia coli* K5 kps locus: identification and characterization of an innermembrane capsular polysaccharide transport system. *Mol Microbiol* 4:1863-1869.
- Smith EA and Macfarlane GT. 1996.** Enumeration of human colonic bacteria producing phenolic and indolic compounds: effects of pH, carbohydrate availability and retention time on dissimilatory aromatic amino acid metabolism. *J Appl Bacteriol.* 81:288-302.
- Smith DL, Dushoff EN, Perencevich AD, Harris AD, and Levin SA. 2004.** Persistent colonization and the spread of antibiotic resistance in nosocomial pathogens: resistance is a regional problem. *Proc Natl Acad Sci USA.* 101:3709-3714.
- Sokurenko EV, Chesnokova V, Dykhuizen DE, Ofek I, Wu XR, Kroffelt KA, Struve C, Schembri MA, Hasty DL . 1998.** Pathogenic adaptation of *Escherichia coli* by natural variation of the *fimH* adhesin. *Proc Natl Acad Sci USA.* 95:8922-6.
- Soto Sara M. 2006.** Expresión de factores de virulencia en cepas extraintestinales de *Escherichia coli*. *Enferm Infect Microbiol Clin.* 24:479-80.
- Stoll BT, Gordon T, Korones SB, Shankaran S, Tyson JE, Bauer CR, Fanaroff AA, Lemons JA, Donovan EF, Oh W, Stevenson DK, Ehrenkranz RA, Papile LA, Verter J, Wright**

- LL. 1996.** Late-onset sepsis in very low birth weight neonates: a report from the National Institute of Child Health and Human Development Neonatal Research Network. *J Pediatr.* 129:63-71.
- Sua A, Bonnet R, Sutren M et al. 1999.** Direct rDNA community analysis reveals a myriad of novel bacterial lineages within the human gut. *Appl Environ Microbiol.* 65:4799-4807.
- Tannock GW. 2001.** Molecular assessment of intestinal microflora. *Am J Clin Nutr.* 73:S410-S414.
- Torres A, and Payne S. 1997.** Haem iron-transport system in enterohaemorrhagic *Escherichia coli* O157:H7. *Mol Microbiol.* 23:825-833.
- Tullus K. 1987.** Fecal colonization with P-fimbriated *Escherichia coli* in newborn children and relation to development of extraintestinal *E. coli* infections. *Acta Paediatr Scand.* 76, Suppl 334:1-35.
- Tullus K, Berglund B, Fryklund B, Kuhn I, Burman LG. 1988.** Epidemiology of faecal strains of the family *Enterobacteriaceae* in 22 neonatal wards and influence of antibiotic policy. *J Clin Microbiol.* 26:1166-70.
- Tullus K, Kallenius G, Möllby R. 1988.** Fecal colonization with P-fimbriated *E. coli* between 0 and 18 months of age. *Epidemiol Infect.* 100:185-191.
- Tungland BC, Meyer D. 2002.** Nondigestible oligoand polysaccharides (dietary fiber): their physiology and role in human health and food. *Comprehensive Reviews in Food Science and Food Safety.* 1: 73-92.
- Uauy RD, Birch DG, Birch EE, Tyson JE, Hoffman DR. 1990.** Effect of dietary omega 3 fatty acids on retinal function of very low birth weight neonates. *Pediatr Res.* 28: 485-492.
- Valverde A, Coque MT, Sanchez-Moreno MP, Rollan A, Baquero F, Canton R. 2004.** Dramatic increase in prevalence of fecal carriage of extended-spectrum β-Lactamase-Producing *Enterobacteriaceae* during nonoutbreak situations in Spain. *J Clin Microbiol.* 42:4769-4775.
- Van der Waaij D. 1989.** The ecology of the human intestine and its consequences for overgrowth by pathogens such as *Clostridium difficile*. *Annu Rev Microbiol.* 43:69-87.
- Vaughan EE, Schut F, Heilig GHJ, Zoetendal EG, de Vos WM, y Akkermans,**

**A.D.L. 2000.** A molecular view of the intestinal ecosystem. *Curr Issues Intest Microbiol.* 1: 1–12.

**Vasallo I. 2010.** Estudio del efecto nutricional y bifidogénico de una fórmula infantil suplementada con nucleótidos, alfa-lactoabúmina y ácidos grasos poliinsaturados de cadena larga en niños recién nacidos sanos. Tesis Doctoral. Universidad de Murcia.

**Vila J, Ruiz J, Marco F, Barceló A, Goñi PE, Giralt E, Jiménez de Anta T. 1994.** Association between double mutation in the *gyrA* gene of ciprofloxacin-resistant clinical isolates of *Escherichia coli* and MICs. *Antimicrob Agents Chemother.* 38:2477-9.

**Vila J, Simon K, Ruiz J, Horcajada JP, Velasco M, Barranco M, Moreno A, Mensa J. 2002.** Are quinolone-resistant uropathogenic *Escherichia coli* less virulent? *J Infect Dis.* 186:1039-44.

**Wang B, Brand-Miller J. 2003.** The role and potential of sialic acid in human nutrition. *Eur J Clin Nutr.* 57:1351-69.

**Wang B, Downing JA, Petocz P, Brand miller J, Bryden WL. 2007.** Metabolic fate of intravenously administered N-acetylneuraminic acid -6-14C in newborn piglets. *Asia Pac J Clin Nutr.* 16:110-15.

**Wang B. 2009.** Sialic acid is an esential nutrient for brain development and cognition. *Ann Rev Nutr.* 29: 177-222.

**Watt Stéphane, Lanotte P, Mereguetti L, Moulin-Schouleur M, Picard B, Quentin R. 2003.** *Escherichia coli* strains from pregnant women and neonates: Intraspecies genetic distribution and prevalence of virulence factors. *J Clin Microbiol.* 41:1929-1935.

**Wilson KH, Blitchington RB. 1996.** Human colonic biota studied by rinosomal DNA sequence analysis. *Appl Environ Microbiol.* 62:2273-2278.

**Winocur PL, Canton R, Casellas JM, Legakis N. 2001.** Variations in the prevalence of strain expressing an extended-spectrum beta-lactamase phenotype and characterization of isolates from Europe, the America, and the Western Pacific Region. *Clin Infect Dis.* 32 (suppl 2): S94-S103.

**White RD, Townsend TR, Stephens MA, Moxon ER. 1981.** Are surveillance of resistant enteric bacilli and antimicrobial usage among neonates in a newborn intensive care unit useful? *Pediatrics.* 68:1-4.

- Wiedemann B, Dietz H, Pfeifle D. 1998.** Induction of  $\beta$ -lactamase in *Enterobacter cloacae*. Clin Infect Dis. 27:42-7.
- Wold AE, Caugant DA, Lidin-Janson G, Man PD, Svanborg C. 1992.** Resident colonic *Escherichia coli* strains frequently display uropathogenic characteristics. J Infect Dis. 165:46-52.
- Wold AE, Thorssén M, Hull S, Svanborg Edén C. 1988.** Attachment of *Escherichia coli* via mannose or Gal $\alpha$ 1 $\rightarrow$ 4Gal $\beta$  containing receptors to human colonic epithelial cells. Infect Immun. 56:2531-7.
- Yoshioka H, Iseki K, Fujita K. 1983.** Development and differences of intestinal flora in the neonatal period in breast-fed and bottle-fed infants. Pediatrics. 72:317-321.
- Zhang L, Foxman B, Mars C. 2002.** Both urinary and rectal *Escherichia coli* isolates are dominated by strains of phylogenetic group B2. J Clin Microbiol. 40:3951-5.
- Zetterström R, Bennet R, Nord KE. Intestinal faecal microflora during infancy, influence of nutrition and other environmental factors. 1994** In: Graf R, Falkner R, Kleinman R, Koletzko B, Moran J (eds.). New Perspectives in Infant Nutrition. Second International Symposium. October 6-8; La Manga Club, Murcia (Spain). Ediciones Ergon, Madrid, 1994; 411-20.
- Zoetendal EG, Collier CT, Koike S, Mackie RI, Gaskins HR. 2004.** Molecular ecological analysis of the gastrointestinal microbiota: a review. J Nutr. 134:465-47
- Zoetendal EG, Von Wright A, Vilpponen-Salmela T, Ben-Amor K, Akkermans ADL, De Vos WM. 2002.** Mucosa-associated bacteria in the human gastrointestinal tract are uniformly distributed along the colon and differ from the community recovered from feces. Appl Environ Microbiol. 68:3401-3407.